

05/18/00

JCS09 U.S. PTO

05-22-00

A

Please type a plus sign (+) inside this box → ☐Approved for use through 09/30/2000. OMB 0651-0032
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UTILITY PATENT APPLICATION TRANSMITTAL (Only for new nonprovisional applications under 37 C.F.R. § 1.53(b))	Attorney Docket No.	P3921
	First Inventor or Application Identifier	Sree Rajan et al.
	Title	Network-Based Bookmark Management and WEB-Summary System
	Express Mail Label No.	EJ745194022US

APPLICATION ELEMENTS See MPEP chapter 600 concerning utility patent application contents.	ADDRESS TO: Assistant Commissioner for Patents Box Patent Application Washington, DC 20231
1. <input checked="" type="checkbox"/> * Fee Transmittal Form (e.g., PTO/SB/17) (Submit an original and a duplicate for fee processing)	5. <input type="checkbox"/> Microfiche Computer Program (Appendix)
2. <input checked="" type="checkbox"/> Specification [Total Pages 49] (preferred arrangement set forth below) - Descriptive title of the Invention - Cross References to Related Applications - Statement Regarding Fed sponsored R & D - Reference to Microfiche Appendix - Background of the Invention - Brief Summary of the Invention - Brief Description of the Drawings (if filed) - Detailed Description - Claim(s) - Abstract of the Disclosure	6. Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary) a. <input type="checkbox"/> Computer Readable Copy b. <input type="checkbox"/> Paper Copy (identical to computer copy) c. <input type="checkbox"/> Statement verifying identity of above copies
3. <input checked="" type="checkbox"/> Drawing(s) (35 U.S.C. 113) [Total Sheets 9]	ACCOMPANYING APPLICATION PARTS
4. Oath or Declaration [Total Pages 2] a. <input checked="" type="checkbox"/> Newly executed (original or copy) b. <input type="checkbox"/> Copy from a prior application (37 C.F.R. § 1.63(d)) (for continuation/divisional with Box 16 completed) i. <input type="checkbox"/> DELETION OF INVENTOR(S) Signed statement attached deleting inventor(s) named in the prior application, see 37 C.F.R. §§ 1.63(d)(2) and 1.33(b).	7. <input type="checkbox"/> Assignment Papers (cover sheet & document(s)) 8. <input type="checkbox"/> 37 C.F.R. § 3.73(b) Statement of Power of Attorney (when there is an assignee) <input checked="" type="checkbox"/> 9. <input type="checkbox"/> English Translation Document (if applicable) 10. <input type="checkbox"/> Information Disclosure Statement (IDS)/PTO-1449 <input type="checkbox"/> Copies of IDS Citations 11. <input type="checkbox"/> Preliminary Amendment 12. <input checked="" type="checkbox"/> Return Receipt Postcard (MPEP 503) (Should be specifically itemized) 13. <input checked="" type="checkbox"/> * Small Entity Statement filed in prior application, (PTO/SB/09-12) Status still proper and desired 14. <input type="checkbox"/> Certified Copy of Priority Document(s) (if foreign priority is claimed) 15. <input checked="" type="checkbox"/> Other Check for fees

* NOTE FOR ITEMS 1 & 13: IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL ENTITY STATEMENT IS REQUIRED (37 C.F.R. § 1.27), EXCEPT IF ONE FILED IN A PRIOR APPLICATION IS RELIED UPON (37 C.F.R. § 1.28).

16. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below and in a preliminary amendment:

☐ Continuation ☐ Divisional ☒ Continuation-in-part (CIP) of prior application No: **09 / 323,598**


 Prior application information: Examiner **Unknown** Group / Art Unit **3661**

For CONTINUATION or DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 4b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.

17. CORRESPONDENCE ADDRESS

☐ Customer Number or Bar Code Label ☐ Correspondence address below
 (Insert Customer No. or Attach bar code label here)

Name	Donald R. Boys of Central Coast Patent Agency				
Address	P.O. Box 187				
City	Aromas	State	CA.	Zip Code	95004
Country	US	Telephone	831-726-1457	Fax	831-726-3475

Name (Print/Type)	Donald R. Boys	Registration No. (Attorney/Agent)	35074
Signature		Date	05/18/2000

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

Certificate of Express Mailing

"Express Mail" Mailing Label Number: EJ745194022US

Date of Deposit: 05/18/2000

Ref: Case Docket No.: P3921

First Named Inventor: Sree Rajan et al.

Serial Number: NA

Filing Date: 05/18/2000


Title of Case: Network-Based Bookmark Management and WEB-Summary System

I hereby certify that the attached papers are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. 1.10 on the date indicated above and addressed to the Commissioner of Patents and Trademarks, Washington D.C. 20231

1. Utility patent application transmittal.
2. 49 sheets of specification.
3. 9 sheets of drawings.
4. Fee transmittal.
5. Duplicate fee transmittal.
6. Declaration and Power of Attorney.
7. Verified Statement Claiming Small Entity.
8. Check for fees in the amount of \$345.00.
9. Certificate of express mailing.
10. Postcard listing contents.

Mark A. Boys

(Typed or printed name of person mailing paper or fee)


(Signature of person mailing papers or fee)

**VERIFIED STATEMENT CLAIMING SMALL ENTITY STATUS
(37 CFR 1.9(f) & 1.27(c))--SMALL BUSINESS CONCERN**

Docket Number (Optional)
P3921

Applicant or Patentee: Sreeranga P. Rajan et al
Application or Patent No.: NA
Filed or Issued: NA
Title: Network-Based Bookmark Management and WEB-Summary System

I hereby declare that I am

- ☐ the owner of the small business concern identified below:
☒ an official of the small business concern empowered to act on behalf of the concern identified below:

NAME OF SMALL BUSINESS CONCERN Yodlee.com

ADDRESS OF SMALL BUSINESS CONCERN 595 Lawrence Expressway, Sunnyvale, CA 94086

I hereby declare that the above identified small business concern qualifies as a small business concern as defined in 13 CFR 121.12, and reproduced in 37 CFR 1.9(d), for purposes of paying reduced fees to the United States Patent and Trademark Office, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time, or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.

I hereby declare that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the invention described in:

- ☒ the specification filed herewith with title as listed above.
☐ the application identified above.
☐ the patent identified above.

If the rights held by the above identified small business concern are not exclusive, each individual, concern, or organization having rights in the invention must file separate verified statements averring to their status as small entities, and no rights to the invention are held by any person, other than the inventor, who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person made the invention, or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d), or a nonprofit organization under 37 CFR 1.9(e).

- Each person, concern, or organization having any rights in the invention is listed below:
☒ no such person, concern, or organization exists.
☐ each such person, concern, or organization is listed below.

Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

NAME OF PERSON SIGNING P. Venkat Rangan

TITLE OF PERSON IF OTHER THAN OWNER President and CEO

ADDRESS OF PERSON SIGNING 595 Lawrence Expressway, Sunnyvale, CA 94086

SIGNATURE 

DATE 5/17/00

Network-Based Bookmark Management and WEB-Summary System

by inventor(s)

Sree Rajan & Jonathan Wu

5

Field of the Invention

The present invention is in the field of Internet navigation including various communication means and connection technologies and pertains more particularly to methods and apparatus, including software, for facilitating network-based management of URL bookmarks and periodic content summarization of managed bookmarks on behalf of users.

15

Cross-Reference to Related Documents

20

25

The present invention is a continuation in part (CIP) to a U. S. patent application SN/09/323,598 entitled "***Method and Apparatus for Obtaining and Presenting WEB Summaries to Users***" filed on 6/1/99, which is a CIP to a U.S. patent application S/N 09/208,740 entitled "***Method and Apparatus for Providing and Maintaining a User-Interactive Portal System Accessible via Internet or other Switched-Packet-Network***" filed on 12/08/98, disclosure of which is incorporated herein in its entirety herein by reference. It is also a CIP to U.S. patent application S/N 09/550,348, filed 4/14/2000, entitled "***Method and Apparatus for Providing Auto-Registration and Service Access to Internet Sites for Internet Portal Subscribers***".

30

Background of the Invention

5 The information network known as the World Wide Web (WWW),
which is a subset of the well-known Internet, is arguably the most complete
source of publicly accessible information available. Anyone with a suitable
Internet appliance such as a personal computer with a standard Internet
connection may access (go on-line) and navigate to information pages
(termed web pages) stored on Internet-connected servers for the purpose of
10 garnering information and initiating transactions with hosts of such servers
and pages.

Many companies offer various subscription services accessible via the
Internet. For example, many people now do their banking, stock trading,
shopping, and so forth from the comfort of their own homes via Internet
15 access. Typically, a user, through subscription, has access to personalized
and secure WEB pages for such functions. By typing in a user name and a
password or other personal identification code, a user may obtain
information, initiate transactions, buy stock, and accomplish a myriad of
other tasks.

20 One problem that is encountered by an individual who has several or
many such subscriptions to Internet-brokered services is that there are
invariably many passwords and/or log-in codes to be used. Often a same
password or code cannot be used for every service, as the password or code
may already be taken by another user. A user may not wish to supply a code
25 unique to the user such as perhaps a social security number because of
security issues, including quality of security, that may vary from service to
service. Additionally, many users at their own volition may choose different

passwords for different sites so as to have increased security, which in fact also increases the number of passwords a user may have.

Another issue that can plague a user who has many passworded subscriptions is the fact that they must bookmark many WEB pages in a computer cache so that they may quickly find and access the various services. For example, in order to reserve and pay for airline travel, a user must connect to the Internet, go to his/her book-marks file and select an airline page. The user then has to enter a user name and password, and follow on-screen instructions once the page is delivered. If the user wishes to purchase tickets from the WEB site, and wishes to transfer funds from an on-line banking service, the user must also look for and select the personal bank or account page to initiate a funds transfer for the tickets. Different user names and passwords may be required to access these other pages, and things get quite complicated.

Although this preceding example is merely exemplary, it is generally known that much work related to finding WEB pages, logging in with passwords, and the like is required to successfully do business on the WEB.

A service known to the inventor, and described in the related case S/N 09/208,740 listed under the cross-reference to related documents section, provides a WEB service that allows a user to store all of his password protected pages in one location such that browsing and garnering information from them is much simplified. A feature of the above service allows a user to program certain tasks into the system such that requested tasks are executed by an agent (software) based on user instruction. The service stores user password and log-in information and uses the information to log-in to the user's sites, thus enabling the user to navigate without having to manually input log-in or password codes to gain access to the links.

The above-described service uses a server to present a user-personalized application that may be displayed as an interactive home page that contains all of his listed sites (hyperlinks) for easy navigation. The application lists the user's URL's in the form of hyperlinks such that a user may click on a hyperlink and navigate to the page wherein login, if required, is automatic, and transparent to the user.

The application described above also includes a software agent that may be programmed to perform scheduled tasks for the user including returning specific summaries and updates about user-account pages. A search function is provided and adapted to cooperate with the software agent to search user-entered URL's for specific content if such pages are cached somewhere in their presentable form such as at the portal server, or on the client's machine.

An enhancement to the system described above and known to the inventors is taught in SN/09/323,598, also included in the cross-reference section. In this teaching a summary software agent is provided to execute on the Portal server. The summary software agent is adapted to access Internet destinations, retrieve information according to pre-programmed criteria, and summarize the retrieved information for delivery to the subscriber.

In addition to the summary agent, a configuration and initiation interface is provided for a subscriber to set up and start a summary search. Summary searches may be configured for individual clients as templates stored and retrieved at the Internet-connected server. In some cases summary information is stored to be later downloaded at request of the subscriber, and in others the information is immediately pushed to the client/subscriber. Also in some embodiments automatic log-ins are

performed for the subscriber at each Internet site according to a data stored for the subscriber at the Portal server.

It has occurred to the inventor that in addition to ordering WEB-summaries from a service through an interactive configuration and initiation interface, a user may desire that certain URLs be periodically summarized for content without the prerequisite of user configuration of the site for obtaining the information. Further, a user may desire to be empowered with control ability to effect or cancel such action without having to navigate to a special section of the service's Portal server for the purpose of deleting or editing information stored in user-profiled sites.

What is clearly needed is a network-based bookmark management and WEB-summary system that may be controlled from a single user interface while a user is actively browsing the Internet. Such a system would empower users with an efficient method for ordering periodic and automatic WEB-summaries for certain WEB-sites without the pre-requisite of pre-configuration.

Summary of the Invention

According to an embodiment of the present invention, a software application for network-based management and data summarization of user-selected URLs is provided. The software application includes a client-side utility for capturing a URL displayed in a browser window during Internet navigation, a server-side utility for receiving URLs captured by the client-side utility, and a navigation and data-gathering utility for navigating to and gathering data from Web pages associated with the captured URLs.

In preferred embodiments, a user operating the client-side utility captures a URL during Web browsing wherein the URL is sent to the server-

side utility at which time it may be utilized by the navigation and data-gathering utility for proxy navigation to a Web page associated with the URL and gathering data therefrom.

5 In one aspect, the client-side utility is a network-capable utility separate from a standard book-marking utility. In other embodiments, the client-side utility is a network-capable utility that is integrated with a standard book-marking utility available in most Web browsers. In a preferred embodiment, the client-side utility is a Java-based plug-in adapted to a Web browser. In this mode, captured URLs are sent to the server-side
10 utility where they are included in a list of URLs managed by the service. In all aspects, the navigation and data-gathering utility navigates to a WEB page associated with the URL and returns an HTML summary.

In another aspect of the present invention, a method for practicing network-based management and data summarization of user-selected URLs
15 is provided. The method includes the steps of, (a) initiating capture of a URL associated with a Web page presented in a browser window while browsing the Internet; (b) sending the captured URL information over a network connection to a Web-based server; (c) associating the captured URL information with other URL information contained in a list of URL
20 data; (d) initiating a request containing the URL data and sending the request to a proxy navigation and data-gathering utility; and (e) upon approval of the request, navigating to the Web page or pages associated with the URL data for the purpose of obtaining information from the Web page and returning the information in summary form back to a requesting user.

25 In one aspect, the URL data is sent both to the network and to a machine cache residing on a user's machine in step a. In another aspect, a step is added between steps d and e enabling a user to edit a navigation request before it is initiated. In all aspects of the present invention, the

method is automated once a user has selected a URL using the client-side utility. The method and apparatus of the present invention enables a user to receive periodic data updates associated with favorite Web pages without having to pre-configure each URL for data search and return. Various
5 embodiments of the present invention are detailed below.

Brief Description of the Drawing Figures

10 Fig. 1 is an overview of an Internet portal system and network according to an embodiment of the present invention.

Fig. 2 is an exemplary plan view of a personalized Portal home page application as it may be seen on a display monitor according to an embodiment of the present invention.

15 Fig. 3 is a flow diagram illustrating user interaction with the Internet portal of fig. 1.

Fig. 4 is a block diagram illustrating a summarization software agent and capabilities thereof according to an embodiment of the present invention.

20 Fig. 5 is a logical flow chart illustrating an exemplary summarization process performed by the software agent of Fig. 4 operating in a user-defined mode.

Fig. 6 is a logical flow chart illustrating an exemplary summarization process performed by the software agent of Fig. 4 in a User-independent smart mode with minimum user input.

25 Fig. 7 is a block diagram illustrating function of a bookmark management and WEB-summary system according to an embodiment of the present invention.

Fig. 8 is a block diagram illustrating components and function of an active bookmark application according to an embodiment of the present invention.

5 Fig. 9 is a flow diagram illustrating user and server side steps for practicing active book-marking and WEB-summarization of book-marked URLs.

Description of the Preferred Embodiments

10 According to a preferred embodiment of the present invention, a unique Internet portal is provided and adapted to provide unique services to users who have obtained access via an Internet or other network connection from an Internet-capable appliance. Such an interface provides users with a method for storing many personal WEB pages and further provides search
15 function and certain task-performing functions. The methods and apparatus of the present invention are taught in enabling detail below.

Fig. 1 is an overview of an Internet portal system 11 and Internet network 13 according to an embodiment of the present invention. Portal system 11, in this embodiment, operates as an ISP in addition to a unique
20 network portal, but may, in other embodiments be implemented as a stand-alone Internet server. In yet other embodiments the service and apparatus described herein may also be provided by such as a search and listing service (AltaVistaTM, YahooTM) or by any other enterprise hosting a WEB-connected server.

25 Internet 13 is representative of a preferred use of the present invention, but should not be considered limiting, as the invention could apply in other networks and combinations of networks.

ISP 15 in this embodiment comprises a server 31, a modem bank 33, represented here by a single modem, and a mass storage repository 29 for storing digital data. The modem bank is a convenience, as connection to the server could be by another type of network link. ISP 15, as is typical in the art, provides Internet access services for individual subscribers. In addition to well-known Internet access services, ISP 15 also provides a unique subscription service as an Internet portal for the purpose of storing many WEB pages or destinations along with any passwords and or personal codes associated with those pages, in a manner described in more detail below.

This unique portal service is provided by execution of Portal Software 35, which is termed by the inventors the Password-All suite. The software of the invention is referred to herein both as the Portal Software, and as the Password-all software suite. Also, in much of the description below, the apparatus of the invention is referred to by the Password-All terminology, such as *the Password-All Server or Password-All Portal*.

ISP 15 is connected to Internet 13 as shown. Other equipment known in the art to be present and connected to a network such as Internet 13, for example, IP data routers, data switches, gateway routers, and the like, are not illustrated here but may be assumed to be present. Access to ISP 15 is through a connection-oriented telephone system as is known in the art, or through any other Internet/WEB access connection, such as through a cable modem, special network connection (e.g. T1), ISDN, and so forth. Such connection is illustrated via access line 19 from Internet appliance 17 through modem bank 33.

In a preferred embodiment a user has access to Internet Password-All Portal services by a user name and password as is well known in the art, which provides an individualized WEB page to the subscriber. In another embodiment wherein a user has other individuals that use his or her Internet

account, then an additional password or code unique to the user may be required before access to portal 31 is granted. Such personalized Portal WEB pages may be stored in repository 29, which may be any convenient form of mass storage.

Three Internet servers 23, 25, and 27, are shown in Internet 13, and represent Internet servers hosted by various enterprises and subscribed to by a user operating appliance 17. For example, server 23 may be a bank server wherein interactive on-line banking and account managing may be performed. Server 25 may be an investment server wherein investment accounts may be created and managed. Server 27 may be an airline or travel server wherein flights may be booked, tickets may be purchased, and so on. In this example, all three servers are secure servers requiring user ID and password for access, but the invention is not necessarily limited to just secure services.

15 In a preferred embodiment of the present invention, a subscribing user operating an Internet-capable appliance, such as appliance 17, connects to Password-All Portal system 11 hosted by ISP 15, and thereby gains access to a personalized, interactive WEB page, which in turn provides access to any one of a number of servers on Internet 13 such as servers 23, 25, and 27, without being required to enter additional passwords or codes. In a preferred embodiment the software that enables this service is termed Password-All by the inventors. Password-All may be considered to be a software suite executing on the unique server, and in some instances also on the user's station (client). Additional interactivity provided by portal software 35 allows a connected user to search his listed pages for information associated with keywords, text strings, or the like, and allows a user to program user-defined tasks involving access and interaction with one or more Internet-connected servers such as servers 23, 25, and 27 according

to a pre-defined time schedule. These functions are taught in enabling detail below.

Fig. 2 is an illustration of a personalized portal page as may be seen on a display monitor according to an embodiment of the present invention, provided by Password-All Portal software 35 executing on server 31, in response to secure access by a subscriber. Page 32 presents an interactive listing 34 of user-subscribed or member WEB pages, identified in this example by URL, but which may also be identified by any convenient pseudonym, preferably descriptive, along with user name and typically encrypted password information for each page. Listed in a first column under *destination*, are exemplary destinations LBC.com, My Bank.com, My Stocks.com, My shopping.com, Mortgage.com, and Airline.com. These are but a few of many exemplary destinations that may be present and listed as such on page 33. In order to view additional listings listed but not immediately viewable from within application 33, a scroll bar 35 is provided and adapted to allow a user to scroll up or down the list to enable viewing as is known in the art.

Items listed in list 34 in this example may be considered destinations on such as servers 23, 25, and 27 of Fig. 1. Typically the URL associated with an item on this list will not take a user to a server, per se, but to a page stored on a server. User names and password data associated with each item in list 34 are illustrated in respective columns labeled *user name*, and *password*, to the right of the column labeled *destination*. Each listing, or at least a portion of each listing, is a hyperlink invoking, when selected, the URL to that destination. In some instances a particular service may have more than one associated URL. For example, My Bank.com may have more than one URL associated for such as different accounts or businesses associated also with a single subscriber. In this case there may be a sub-

listing for different destinations associated with a single higher-level listing. This expedient is not shown, but given this teaching the mechanism will be apparent to those with skill in the art.

In some embodiments one page 33 may be shared by more than one user, such as a husband and wife sharing a common account and subscription. An instance of this is illustrated herein with respect to the server labeled Mortgage.com wherein both a John and a Jane Doe are listed together under the column labeled user name. In another embodiment, a network of individuals, perhaps business owners, authorized co-workers, investment parties, or the like may share one application. In this way, system 11 may be adapted for private individuals as well as business uses.

After gaining access to application 33 which is served via Internet portal server 31 of Fig. 1, a user may scroll, highlight, and select any URL in his or her list 34 for the purpose of navigation to that particular destination for further interaction. Application 33 already has each password and user name listed for each URL. It is not necessary, however, that the password and user name be displayed for a user or users. These may well be stored transparently in a user's profile, and invoked as needed as a user makes selections. Therefore, a user is spared the need of entering passwords and user names for any destinations enabled by list 34. Of course, each list 34 is built, configured and maintained by a subscribing user or users, and an editing facility is also provided wherein a user may edit and update listings, including changing URL's adding and deleting listings, and the like.

In another aspect of the invention new listings for a user's profile, such as a new passthrough to a bank or other enterprise page, may be added semi-automatically as follows: Typically, when a user opens a new account with an enterprise through interaction with a WEB page hosted by the enterprise, the user is required to provide certain information, which will

typically include such as the user's ID, address, e-mail account, and so forth, and typically a new user name and password to access the account. In this process the user will be interacting with the enterprise's page from his/her browser. A Password-All plug-in is provided wherein, after entering the required information for the new enterprise, the user may activate a pre-determined signal (right click, key stroke, etc.), and the Password-All suite will then enter a new passthrough in the user's Password. All profile at the Password-All Portal server.

In a related method for new entries, the enterprise hosting the Password-All Portal may, by agreement with other enterprises, provide log-in and sign-up services at the Password-All Portal, with most action transparent to the user. For example, there may be, at the Password-All Portal, a selectable browser list of cooperating enterprises, such as banks, security services, and the like, and a user having a Password-All Portal subscription and profile may select among such cooperating enterprises and open new accounts, which will simultaneously and automatically be added to the Password-All Portal page for the user and to the server hosted by the cooperating enterprise. There may be some interactivity required for different accounts, but in the main, much information from the user's profile may be used directly without being re-entered.

The inventors have anticipated that many potential users may well be suspicious of providing passwords and user names to an enterprise hosting a Password-All Portal Server executing a service like Password-All according to embodiments of the present invention. To accommodate this problem, in preferred embodiments, it is not necessary that the user provide the cleartext password to Password. All. Instead, an encrypted version of each password is provided. When a user links to his passthrough page in Password-All at the Password-All Portal server, when he/she invokes a hyperlink, the

5

10

15

20

25

In yet another aspect of the invention a search option 37 allows a user to search list 34 for specific URL's based on typed input such as keywords or the like. In some cases, the number of URL's stored in list 34 can be extensive making a search function such as function 37 an attractive option. A criteria dialog box 51 illustrated as logically separated from and below list 34 is provided and adapted to accept input for search option 37 as is known in the art. In one embodiment, search option 37 may bring up a second window wherein a dialog box such as box 51 could be located.

In another aspect of the invention the search function may also be configured in a window invoked from window 33, and caused to search all or selected ones of listed destinations, and to return results in a manner that may be, at least to some extent, configured by a user. For example, a dialog box may be presented wherein a user may enter a search criteria, and select among all of the listed destinations. The search will then be access each of the selected destinations in turn, and the result may be presented to the user as each instance of the criteria is found, or results may be listed in a manner to be accessed after the search.

Preferably the search function is a part of the Password-All Portal software, available for all users, and may be accessed by hyperlinks in user's personal pages. In some embodiments users may create highly individualized search functions that may be stored in a manner to be usable only by the user who creates such a function.

In many aspects of the present invention, knowledge of specific WEB pages, and certain types of WEB pages, is highly desirable. In many embodiments characteristics of destination WEB pages are researched by persons (facilitators) maintaining and enhancing Password-All Portal software 35, and many characteristics may be provided in configuration

modules for users to accomplish specific tasks. In most cases these characteristics are invoked and incorporated transparent to the user.

In yet another aspect of the present invention, the Password-All suite is structured to provide periodic reports to a user, in a manner to be structured and timed by the user, through the user's profile. For example, reports of changes in account balances in bank accounts, stock purchases, stock values, total airline travel purchases, frequent-flier miles, and the like may be summarized and provided to the users in many different ways. Because the Password-All Portal server with the Password-All software site handles a broad variety of transactional traffic for a user, there is an opportunity to summarize and collect and process statistics in many useful ways. In preferred embodiments of the invention such reports may be furnished and implemented in a number of different ways, including being displayed on the user's secure personal WEB page on the Password-All Portal.

In addition to the ability of performing tasks as described above, task results including reports, and hard documents such as airline tickets may be sent over the Internet or other data packet-networks to user-defined destinations such as fax machines, connected computer nodes, e-mail servers, and other Internet-connected appliances. All tasks may be set-up and caused to run according to user-defined schedules while the user is doing something else or is otherwise not engaged with the scheduled task.

In another embodiment of the present invention, recognizing the increasing use of the Internet for fiscal transactions, such as purchasing goods and services, a facility is provided in a user's profile to automatically track transactions made at various destinations, and to authorize payment either on a transaction-by-transaction basis, or after a session, using access

5

10

15

20

25

It will be apparent to the skilled artisan, given the teaching herein, that the functionality provided in various embodiments of the invention is especially applicable to Internet-capable appliances that may be limited in input capability. For example, a set-top box in a WEB TV application may

well be without a keyboard for entering IDs and Passwords and the like. In practice of the present invention keyboard entry is minimized or eliminated. The same comments apply to many other sorts of Internet appliances.

In preferred embodiments of the invention, once a subscriber-user is in Password-All, only an ability to point-and-click is needed for all navigation. To get into the Password-All site, using a limited apparatus, such as an appliance without a keyboard or keypad, a Smartcard or embedded password may be used, or some other type of authentication.

It will be apparent to one with skill in the art that an interactive application such as application 33 may be provided in a form other than a WEB page without departing from the spirit and scope of the present invention. For example, an application such as application 33 may be provided as a downloadable module or program that may be set-up and configured off-line and made operational when on-line.

Fig. 3 is a flow diagram illustrating user interaction with the Internet Password-All Portal of fig. 1. The following process steps illustrated, according to an embodiment of the present invention, are intended to illustrate exemplary user-steps and automated software processes that may be initiated and invoked during interaction with an Internet portal of the present invention such as portal 31 of Fig. 1. In step 53 a user connects to the Internet or another previously described switched-packet network via a compatible appliance such as Internet appliance 17 of Fig. 1.

At step 55, a user enters a user-name and password, which, in one embodiment, may simply be his ISP user name and password. In another embodiment, a second password or code would be required to access an Internet portal such as portal server 31 of Fig. 1 after logging onto the Internet through the ISP. In some cases, having a special arrangement with the ISP, there may be one password for both Internet access through the ISP

5 In step 58 a user will, minimally, select a URL from his or her
bookmarked destinations, and as is known by hyperlink technology, the
transparent URL will be invoked, and the user will navigate to that
destination for the purpose of normal user interaction. In this action, the
Password-All Portal software transparently logs the user on to the
10 destination page, if such log-on is needed.

In another embodiment wherein WEB pages are cached in their presentable form, information extracted in step 64 may include any information contained in any of the stored pages such as text, pictures, interactive content, or the like. In this case, one displayed result page may provide generated links to search results that include the URL associated with the results. Perhaps by clicking on a text or graphic result, the

associated WEB page will be displayed for the user with the result highlighted and in view with regards to the display window.

Enhanced Agent for WEB Summaries

5

In another aspect of the present invention, a software agent, termed a gatherer by the inventors, is adapted to gather and return summary information about URL's according to user request or enterprise discretion. This is accomplished in embodiments of the present invention by a unique scripting and language parsing method provided by the inventor wherein human knowledge workers associated with the service provide written scripts to such a gatherer according to subscriber or enterprise directives. Such a software gatherer, and capabilities thereof, is described in enabling detail below.

10

15

Referring now to Fig. 1, there is illustrated an exemplary architecture representing a portal service-network which, in this case is hosted by ISP 15. Portal software 35 in this embodiment executes on portal server 31 set-up at the ISP location. Mass repository 29 is used for storing subscriber information such as passwords, login names, and the like. Internet servers 23, 25, and 27 represent servers that are adapted to serve WEB pages of enterprises patronized by a subscriber to the portal service such as one operating Internet appliance 17.

20

25

The main purpose of portal software 35 as described above with reference to Fig. 2, is to provide an interactive application that lists all of the subscriber's WEB sites in the form of hyperlinks. When a user invokes a hyperlink from his personal list, software 35 uses the subscriber's personal information to provide an automatic and transparent login function for the subscriber while jumping the subscriber to the subject destination.

Referring again to Fig. 2, an interactive list 34 containing user-entered hyperlinks and a set of interactive tools is displayed to a subscriber by portal software 35 of Fig. 1. One of the tools available to a subscriber interacting with list 34 is agent (software) 39. Agent 39 may be programmed to perform certain tasks such as obtaining account information, executing simple transactions, returning user-requested notification information about upcoming events, and so on. Search function 37 and update function 43 may be integrated with agent 39 as required to aid in functionality.

It is described in the above disclosure that agent 39 may, in some embodiments, search for and return certain summary information contained on user-subscribed WEB pages, such as account summaries, order tracking information and certain other information according to user-defined parameters. This feature may be programmed by a user to work on a periodic time schedule, or on demand.

In the following disclosure, enhancements are provided to agent 39. Such enhancements, described in detail below, may be integrated into agent 39 of portal software 35 (Fig.'s 1 and 2); and may be provided as a separate agent or gatherer to run with portal software 35; or may, in some embodiments, be provided as a standalone service that is separate from portal software 35.

Fig. 4 is a block diagram illustrating a summarization software agent 67 and various capabilities and layers thereof according to an embodiment of the present invention. Summarization agent 67, hereinafter termed gatherer 67, is a programmable and interactive software application adapted to run on a network server. Gatherer 67 may, in one embodiment, be integrated with portal software 35 of Fig. 1 and be provided in the form of a software module separate from agent 39 (Fig. 2). In another embodiment, gatherer

67 may be a part of agent 39 as an enhancement to the function of that agent as previously described. In still another embodiment, gatherer 67 may be provided as a parent or client-side application controlled by a separate service from the portal service described above.

5 In this exemplary embodiment gatherer 67 is a multi-featured software application having a variety of sub-modules and interface modules incorporated therein to provide enhanced function. Gatherer 67 has a client/service interface layer 69 adapted to enable directive input from both a client (user) and a knowledge worker or workers associated with the service.

10 A browser interface 77 is provided in layer 69, and adapted to provide access to application 67 from a browser running on a client's PC or other Internet or network appliance. Interface 77 facilitates bi-directional communication with a user's browser application (not shown) for the purpose of allowing the user to input summary requests into gatherer 67 and

15 receive summary results. Interface 77 supports all existing network communication protocols such as may be known in the art, and may be adapted to support future protocols.

Layer 69 also comprises a unique input scripting module 79 that is adapted to allow a human knowledge worker to create and supply directive scripts containing the site logic needed by gatherer 67 to find and retrieve data from a WEB site. In this case, gatherer 67 executes and runs on a network server such as server 31 of Fig. 1. However, this is not required in order to practice the present invention.

It is assumed in this example that gatherer 67 is part of the portal software suite 35 running on server 31 of Fig. 1. Gatherer 67 may be provided as several dedicated agents, or as one multi-functional agent without departing from the spirit and scope of the present invention. For example, one gatherer 67 may be scripted and programmed to execute a

label description on the template created with module 79. Completed templates are stored in a database contained in a storage facility such as, perhaps, repository 29 of Fig. 1. Such templates may be reused and may be updated (edited) with new data.

5 In one embodiment, one script may contain site logics for a plurality of WEB pages, and instructions for specific navigational instruction and password or login information may be contained therein and executed serially, such as one site at a time. It is important to note that the knowledge worker or workers may perform much of their scripting via automatic
10 controls such as by object linking and embedding (OLE) and a minor portion of scripting may be performed manually in an appropriate computer language, many of which are known in the art).

Gatherer 67 also has a process layer 71 adapted for internal information gathering and parameter configuration. An optional portal server interface 81 is provided and adapted to allow gather 67 to provide updated information to a user's list of hyperlinks and also to obtain data from portal server 31 if required. For example, required hyperlinks may be mirrored from a user's home page to a scripting template for navigational purposes. In an embodiment wherein gatherer 67 is part of a standalone service, a convention for providing user login information may be supplied at the client's end when a request is made. For example, an encrypted password may be supplied by a client plug-in and gatherer 67 may temporarily borrow the user's encryption key when auto login is performed.

25 An appliance configuration module 83 is provided and adapted to allow a user to define and configure an Internet appliance to communicate with the service and receive summary information. Such appliances may include but are not limited to palm top PC's, lap top PC's, cellular telephones, WEB TV's, and so on. Typically, a user will be presented a

configuration WEB page from a network server that displays in his browser window on his desktop PC. The page contains an interface for communicating device parameters and communication protocol types to module 83. In this way, a user may configure a preferred device for receipt of summary information. Device parameters and communication protocols inherent to such a device are incorporated into the scripting of the site template and are used as instructions for WEB summary delivery.

A navigation layer 73 is provided and adapted to perform the function of external site navigation and data gathering for gatherer 67. To this end, a communication interface/browser control module 85 is provided and adapted to function as a WEB browser to access WEB sites containing WEB data. Control 85 receives it's instruction from the scripted template created by the knowledge worker.

A parsing engine 87 is provided and adapted to parse individual WEB sites according to a template created via scripting module 79. Parsing engine 87 may be a Pearl engine, an IE HTML engine, or any other or combination of known parsing engines. The template (not shown) tells control 85 and parsing engine 87 where to go and what fields at the destination site to look for to access desired data. Once the data fields are located, parsing engine 87 gathers current data in the appropriate field, and returns that data to the service for further processing such as data conversion, compression and storage, and the like.

Because WEB sites use tools that use consistent logic in setting up their sites, this logic may be used by the summarization service to instruct control 83 and parsing engine 87. The inventor provides herein an exemplary script logic for navigating to and garnishing data from amazonTM.com. The hyperlinks and/or actual URLs required for navigation are not shown, but may be assumed to be included in the template script. In

5 example is as follows:

```
login( 7 );
```

```
my @tables = get_tables_containing_text( "Orders:" );
```

```
my @href_list;
```

20

```
foreach my $i ( 0 .. $#rows ) {
```

```
my $text = get_text( $rows[ $i ] );
next if $text =~ /Orders:|Status/;
```

```
my @items = get_row_items();
next unless @items >= 4;
```

```
my( $order_num, $date, $status );
select_cell( 1 );
$order_num = get_cell_text();
```

```
my $href = get url of first href( get cell() );
```

```
select_cell( 2 );
$date = get_cell_text();
select_cell( 3 );
```

5

10

15

20

25

30

35

40

```
result( $order_list );
```

The above example is a script that instructs control 85 and parser 87 to navigate to and obtain data from Amazon™.com, specifically that data that reflects the user's current order status. Scripts may also be written to obtain virtually any type of text information available from any site. For example, a user may wish to obtain the New York Times headlines, the top ten performing stocks, a comparative list of flights from San Francisco to New York, etc. In one embodiment, metadata may be associated with and used in-place of the actual scripted language for the purpose of reducing complication in the case of many scripts on one template.

A data processing layer 75 is provided and adapted to store, process, and present returned data to users according to enterprise rules and client direction. A database interface module 89 is provided and adapted to provide access for gatherer 67 to a mass repository such as repository 29 of Fig. 1, for the purpose of storing and retrieving summary data, templates, presentation directives, and so on. Gatherer agent 67 may also access data through interface 89 such as profile information, user account and URL information, stored site logics and so on. Data scanned from the WEB is stored in a canonical format in a database such as repository 29, or in another connected storage facility. All stored data is, of course, associated with an individual who requested it, or for whom the data is made available according to enterprise discretion.

A summarization page module 91 is provided and adapted to organize and serve a WEB summary page to a user. Module 91, in some embodiments, may immediately push a WEB summary to a user, or module 91 may store such summarized pages for a user to access via a pull method, in which case a notification may be sent to the user alerting him of the summary page availability. Summarization module 91 includes an HTML

renderer that is able to format data into HTML format for WEB page display. In this way, e-mail messages and the like may be presented as HTML text on a user's summarization page. Moreover, any summary data from any site may include an embedded hyperlink to that site. In this way, a user looking at an e-mail text in HTML may click on it and launch the appropriate e-mail program. Other sites will, by default, be linked through the summary page.

Many users will access their summary data through a WEB page as described above, however, this is not required in order to practice the present invention. In some embodiments, users will want their summary information formatted and delivered to one of a variety of Internet-capable appliances such as a palm top or, perhaps a cell phone. To this end, the renderer is capable of formatting and presenting the summary data into a number of formats specific to alternative devices. Examples of different known formats include, but are not limited to XML, plain text, VoxML, HDML, audio, video, and so on.

In a preferred embodiment of the present invention, gather 67 is flexible in such a way as it may act according to enterprise rules, client directives, or a combination of the two. For example, if a user makes a request for summary data about a user/subscribed WEB page to be periodically executed and presented in the form of a HTML document, then gather 67 would automatically access and analyze the required internal information and user provided information to formulate a directive. Using scripting module 79, a knowledge worker provides a template (if one is not already created for that site) that contains the "where to go" and "what to get" information according to site logic, user input, and known information.

Alternatively, if a user requests a summary about data on one of his sites such as, perhaps, current interest rates and re-finance costs at his

mortgage site, the service may at it's own discretion provide an additional unsolicited summary from an alternate mortgage site for comparison. This type of summarization would be designed to enhance a user's position based on his profile information. In this case, updated data about latest interest rates, stock performances, car prices, airline ticket discounts, and so on would be stored by the service for comparative purposes. If a user request for a summary can be equaled or bettered in terms of any advantage to the user, such summary data may be included.

In many cases, created templates may be re-used unless a WEB site changes it's site logic parameters, in which case, the new logic must be accessed and any existing templates must be updated, or a new template may be created for the site. The templates contain site-specific script obtained from the site and stored by the knowledge workers. In one embodiment, companies hosting WEB pages automatically provide their site logics and any logic updates to the service by virtue of an agreement between the service and the WEB hosts.

In an alternative embodiment gatherer 67 may be implemented as a client application installed on a user's PC. In this embodiment, a user would not be required to supply log-in or password codes. Summarization scripts may be sent to the client software and templates may be automatically created with the appropriate scripts using log-in and password information encrypted and stored locally on the user's machine.

In addition to providing WEB summary information, gatherer 67 may also be used to provide such as automatic registration to new sites, and for updating old registration information to existing sites. For example, if a user wishes to subscribe, or register at a new site, only the identification of the site is required from the user as long as his pertinent information has not changed. If a new password or the like is required, gatherer 67 through

control module 73 may present login or password codes from a list of alternative codes provided by a user. In another embodiment, a database (not shown) containing a wealth of password options may be accessed by gatherer 67 for the purpose of trying different passwords until one is accepted by the site. Once a password or log-in code is accepted, it may be sent to a user and stored in his password list and at the network level.

It will be apparent to one with skill in the art that a software application such as gatherer 67 may be implemented in many separate locations connected in a data network. For example, a plurality of gatherer applications may be distributed over many separate servers linked to one or more mass repositories. Client applications include but are not limited to a WEB-browser plug-in for communicating to the service. Plug-in extensions may also be afforded to proxy servers so that auto-login and data access may still be performed transparent to a user.

In another embodiment, plug-ins enabling communication with gatherer 67 may be provided and configured to run on other network devices for the purpose of enabling such a device to initiate a request and get a response without the need for a desktop computer.

In most embodiments a user operating a desktop PC will order a one time or periodic summary related to some or all of his subscribed WEB sites. A logical flow of an exemplary request/response interaction is provided below.

Fig. 5 is a logical flow chart illustrating an exemplary summarization process performed by the software agent of Fig. 4 operating in a user-defined mode. In step 93, a user has initiated a new request for a summary (summary order). It is assumed for the purpose of discussion, that the request of step 93 involves a site wherein no template has been created. In step 95, the request is received and analyzed. A knowledge worker will

likely perform this step. The new request may be posted to the user's portal home page, sent directly to gatherer 67, or even communicated through e-mail or other media to the service.

5 In step 97 a knowledge worker accesses particular site logic associated with the request URLs. For example, if the request involves a plurality of URLs, then all site logics for those URLs are accessed. Logic may be available in a repository such as repository 29 of Fig. 1 if they were obtained at the time of user registration to a particular URL, or sent in by WEB-site hosts shortly after registration. If it is a completely new URL, 10 then the logic must be obtained from the site. In most cases however, the logic will be known by virtue of a plurality of users accessing common URLs. Therefore cross-linking in a database of logic/user associations may be performed to access a logic for a site that is new to one particular user, but not new to another.

15 In step 99, the knowledge worker creates a template by virtue of scripting module 79 (Fig. 4) containing all site logic, URLs, log-in and password information, and the user request information. As described previously, templates may be re-used for a same request. In most cases, scripting may be mostly automated with minimum manual input performed 20 by the knowledge worker. In many cases, an existing template will match a new request exactly, and may be re-used. In that case steps 97, 99, and 101 would not be required.

In step 101 the template is stored and associated with the requesting user. The stored template may now be retrieved at a scheduled time for 25 performing the summary gathering. At step 103, a browser control such as module 85 of Fig. 4 is activated to access the stored template and navigate to specified URLs for the purpose of gathering summary data. If a timing function is attributed to the template stored in step 101, then the template

may self execute and call up the browser function. In another embodiment, the knowledge worker may notify the browser control to get the template for it's next task. In some embodiments, a plurality of controls may be used with one template as previously described.

5 In step 105, automatic log-in is performed, if required, to gain access to each specified URL. In step 107, a specified WEB-page is navigated to and parsed for requested data according to the logic on the template. If there are a plurality of WEB –pages to parse, then this step is repeated for the number of pages. A variety of parsing engines may be used for this process such as an IE™ parser, or a Pearl™ parser. Only the requested data is kept in step 107.

A request may be an on-demand request requiring immediate return, or a scheduled request wherein data may be posted. At step 109, such logic is confirmed. If the data is to be presented according to a periodic schedule, then summary data parsed in step 107 is stored for latter use in step 111. In step 113, the summary data is rendered as HTML if not already formatted, and displayed in the form of a summary WEB-page in step 115. The summary page may be posted for access by a user at a time convenient to the user (pull), or may be pushed as a WEB-page to the user and be made to automatically display on the user's PC. Notification of summary page availability may also be sent to a user to alert him of completion of order.

If the summary data is from a one-time on-demand request and required immediately by a user, then a network appliance and data delivery method (configured by the user) is confirmed, and the data is rendered in the appropriate format for delivery and display in step 117. In step 119, the summary data is delivered according to protocol to a user's designated appliance. In step 121 a user receives requested information in the appropriate format.

It will be apparent to one with skill in the art that there may be more or fewer logical steps as well as added sub-steps than are illustrated in this example. For example, step 105 may in other embodiments include sub-steps such as getting an encryption key from a user. In still another
5 embodiment, part of a request may be rendered as HTML as in step 113 while certain other portions of the same request data might be rendered in another format and delivered via alternative methods. There are many possibilities.

The method and apparatus of the present invention may be used to
10 present summaries to users without user input. Process logic such as this is detailed below.

Fig. 6 is a logical flow chart illustrating an exemplary summarization process performed by the software agent of Fig. 4 in a User-independent smart mode with minimum or no user input. In step 117 an enterprise-
15 initiated summary process begins. In this case, the enterprise may be assisting a user in finding a better deal or, perhaps presenting the individual with summaries from and links to alternative pages not yet subscribed to by a user.

In step 119, a database containing user information and parameters is
20 accessed and reviewed. Certain information specific to a user may be required to initiate an enterprise-sponsored summary report. At step 121, the knowledge worker accesses the site logic specific to the specified target site or sites for summarization. In step 123, the knowledge worker modifies an existing user template, or creates a new one if necessary. At step 125 the
25 template is stored in a repository such as repository 29 and associated with the user.

As described in Fig. 5, the template either self-executes according to a timed function and invokes a browser control such as control 85 (Fig. 4),

or is accessed by control 85 as a result of task notification. In step 127, the browser control begins navigation. Auto logins are performed, if required, in step 129 to gain access to selected sites. If the WEB pages are new to a user, and the user has no registration with the WEB site, then through agreement, or other convention, the service may be provided access to such sites. Such an agreement may be made, for example, if the host of the WEB site realizes a possibility of gaining a new customer if the customer likes the summary information presented. In many other situations, no password or login information is required to obtain general information that is not personal to a client.

In step 131, all sites are parsed for summary data and stored in canonical fashion in step 133. At step 135, the data is compiled and rendered as HTML for presentation on a summary page. In step 137, a WEB summary containing all of the data is made available to a user and the user is notified of it's existence.

Providing certain information not requested by a user may aid in enhancing a user's organization of is current business on the WEB. Moreover, unsolicited WEB summaries may provide better opportunities than the current options in the user's profile. Of course, assisting a user in this manner will require that the enterprise (service) have access to the user's profile and existing account and service information with various WEB sites on the user's list. A user may forbid use of a user's personal information, in which case, no enterprise-initiated summaries would be performed unless they are conducted strictly in an offer mode instead of a comparative mode.

The method and apparatus also may be practiced in a language and platform independent manner, and be implemented over a variety of scalable server architectures.

Active Bookmark

According to one aspect of the present invention, a novel, network-based method for managing user-selected bookmarks is provided. Active book-marking, as termed by the inventor, involves selecting URLs during Web browsing and adding them to a favorites list managed on the World Wide Web. Part of the management system includes providing Web summaries on a periodic basis for subscribed users. The present invention including various aspects thereof is described in enabling detail below.

Fig. 7 is a block diagram illustrating function of a bookmark-management and WEB-summary system 140 according to an embodiment of the present invention. System 140 comprises an Internet backbone 139, a service domain 141, and an exemplary user domain 143. Internet backbone 139 represents all the lines and connection points making up the Internet as a whole, including sub-networks. Equipment illustrated as connected to Internet backbone 139 may be assumed to be equipment associated within the Internet network as a whole. In this sense, there are no geographic limitations to the scope of the present invention.

Service domain 141, illustrated within a dotted rectangle, represents an Internet-portal service as described in documents SN /09/323,598 and SN /09/208,740 listed in the cross-reference section of the specification. Service domain 141 provides Internet portal services and Web-summary services to users, typically subscribers to the portal service. In this example, domain 141 is hosted on the Internet, or more specifically, on backbone 139. In another embodiment, domain 141 may exist within an ISP analogous to ISP 15 of Fig. 1 described above.

Within service domain 141 there are two servers illustrated, servers 145 and 147. Server 145 is a portal server (PS) adapted to provide portal

services to subscribing users as described in the cross-referenced patent applications listed under the cross reference section. Server 147 is adapted as a navigation server (NS) for proxy browsing and data gathering on behalf of subscribing users. Both PS 145 and NS 147 are connected to Internet backbone 139. In one embodiment of the present invention, the functions of both servers 145 and 147 may be provided within one more powerful server. The inventor chooses to separate function for illustrative purpose only. In this example, servers 145 and 147 are additionally connected by way of a dedicated data link 148. Data link 148 is adapted to allow faster communication between the two servers than may be available by the Internet connection between the two. In another embodiment server 145 and server 147 may communicate with each other over Internet backbone 139.

Also connected to backbone 139 are Web servers (WS) 151 a-n. Web servers 151a-n are adapted as Internet file servers as are known in the art. For example, Web server 151a may be a news server, Web server 151b may be a sports server, and Web server 151n may be an entertainment server. Servers 151a-n serve electronic information pages, also known in the art as Web pages, to users connected to them during Internet navigation. Each Web page has a universal resource locator (URL) associated with it that identifies an addressed location of that page within any of WEB servers 151a-n.

A user domain illustrated herein within a dotted rectangle labeled with the element number 143 represents a user subscribing to portal services offered through domain 141. User domain 143, hereinafter termed user 143, operates a PC 149 running an Internet browser application (IBA) 151, to browse Internet 139 over an Internet connection line 150. Internet connection 150 may be a dial-up connection, a wireless connection, or any

other known Internet connection. An Internet service provider (ISP) is not illustrated in this example, but may be assumed to be present. PC 149 may be any type of Internet appliance capable of Internet navigation.

5 An instance of gathering software (GS) 157 is provided to run on navigation server 147. Software 157 is adapted to navigate to each URL present on a list of URLs stored in server 145 for the purpose of obtaining summary information from each URL and presenting such information in the form of an HTML document that may be presented in the form of an electronic display to a user operating PC 149. This function is generally
10 described in application SN/09/323,598 listed under the cross-reference section.

In an embodiment of the present invention the inventor provides a novel application termed active browser software (ABS) 153, illustrated herein, as a plug-In to IBA 151. ABS 153 is adapted as a client-side book-
15 marking software. An enhancement over prior art applications includes a capability of sending selected URLs over Internet connection 150 to portal server 145 for network-based management. ABS 153 is, in a preferred embodiment, a Java-based application. However, other known programming languages may be used to implement ABS 153. ABS 153 may
20 be a standalone book-marking application, or it may be integrated with a standard book-marking application provided in most Web-browser applications.

A server-side software component, illustrated herein as software component 155, is provided to run on PS 145. Software 155 is adapted to
25 manage URLs received from ABS 153 over Internet connection 150 during normal Internet navigation and selection of the URLs by user 143. Software 155 is integrated with GS 157 such that at periodic intervals, a navigation command is sent to GS 157 for the purpose of proxy navigation and data

gathering from Web pages associated with each URL held in a list of URLs enabled by software 155. Listed URL's are links, often referred to in the art as shortcuts, to WEB pages associated with them and identified by them.

In practice of the present invention, user 143, operating PC 149,
5 connects to portal server 145 by way of Internet connection line 150 and begins browsing the Internet. Web servers 151 a-n represent servers containing Web pages accessed by user 143 operating PC 149 as previously described. When a Web page is accessed and presented in IBA 151, a user may invoke ABS 153 for the purpose of capturing the URL associated with
10 that Web page. Once captured, the URL it is automatically sent over connection line 150 to portal server 145 where it is added to a list of URLs managed by software 155. At periodic intervals, to be determined by a user, software 155 generates a navigation command, which is sent over data link 148 to GS 157 in NS 147.

15 GS 157 may navigate to all of, or a portion of, the Web pages associated with each URL listed in software 155. Summary data includes any new updates to each of the Web pages associated with URLs listed by software 155. In this example, automatic log-in and second-level data searching services are not performed. Those services are performed with
20 respect to URLs that are pre-configured for specific data summary searches as described in application SN/09/323,598.

It is presumed in this example that user 143, during the course of normal Internet navigation through servers 151 a-n, will select desired Web pages once they are presented in IBA 151 for addition to the URL list stored
25 in portal server 145. The specific class of Web pages a user will select to add, are Web pages wherein no log-ins or passwords are required. After user 143 has selected URLs and they are entered into a list at PS 145, the Web pages associated with those URLs are automatically browsed and

parsed for data by GS 157 at periodic intervals to be determined by user 143. For example, if WS 151a contains a Web page that is a news page, periodic updates of the latest headlines may be provided on behalf of user 143. More detail about ABS 153 and software 155 is provided below.

5 Fig. 8 is a block diagram illustrating components and function of ABS 153 and software 155 according to an embodiment of the present invention. As described in Fig. 7 above, ABS 153 is a client application adapted to reside within an Internet browser application analogous to IBA 151 of Fig. 7. It was also described in Fig. 7 above, that software 155 is a server-side application for network management of bookmarks sent thereto by ABS 10 153. This division is illustrated herein by a dividing double-arrow labeled server-side above the arrow and client-side below the arrow. Therefore, it will be apparent by one with skill in the art that both applications cooperate with each other to achieve the goal of the present invention, which is to 15 manage URLs and to periodically navigate to and obtain summary data from the Web pages associated with listed URLs for eventual presentation to users.

Referring now to Fig. 8, server application 155 has a communication module 159 provided therein and adapted for communication with a like 20 communication module 171 provided within client application 153. Bi-directional data communication capability between module 159, within application 155, and module 171, within application 153, is illustrated by a double-bracketed arrow connecting the two modules.

A URL capture module 167 is provided within client application 153 25 and is adapted to capture URL information during presentation of any visited Web page during normal Internet navigation. In an embodiment wherein client application 153 is a standalone application from a standard book-marking utility, invocation of module 167 causes a captured URL to be

automatically sent to server application 155 through communication modules 171, in client application 153, and 159 in server application 155.

In an alternate embodiment, invocation of module 167 causes a captured URL to be sent to server application 155 *and* to a list of
5 bookmarks stored at the client location. A link to favorites module 169 is provided within client application 153 and adapted to display, upon invocation of a user, the listed bookmarks stored either at server side, client side, or both, depending on the embodiment. In an embodiment wherein application 153 is integrated with a standard book-marking utility, there may
10 be an option (not shown) associated with module 167 that allows a user to decide if a selected URL will be sent to server application 155 and to internal cache on a client machine, or to either of the above. In this way, an integrated utility may be provided that offers client-side book-marking as well as network-based book-marking and summary gathering.

15 A favorite list 161 is provided within server application 155 and adapted to store URLs sent thereto by a user operating client application 153. Some or all of the URLs contained in list 161 may be subject to periodic proxy navigation and data gathering performed on behalf of a user operating application 153. Upon invocation of module 169 all of the URLs
20 contained in list 161 may be viewed. In one embodiment, a provision (not shown) may be provided that allows a user to manually delete URLs from, or to manually add URLs to list 161. There are many possibilities.

A retrieve summaries module 173 is provided within application 153 and adapted to allow a user to retrieve the latest summary data associated
25 with URLs stored in list 161. By invoking module 173, a user may receive an HTML document in the form of a Web page that lists all of the URLs stored in list 161 and their associated summaries. A link to Web summaries module 165 is provided within server application 155 and adapted to allow

all the summaries associated with the URLs and list 161 to be presented to a user upon invocation of module 173. In one embodiment, a user invoking module 173 may first receive an HTML display of URLs held in list 161 where upon selecting a portion of the URLs causes only the summaries associated with the selected URLs to be displayed.

A navigation command module 163 is provided within server application 155 and adapted to communicate with navigation server 147 of Fig. 1 as illustrated by a double arrow labeled NS. At periodic intervals, module 163 will request navigation services from GS 157 within NS 147 of Fig. 7. GS 157, upon granting of a request from module 163 will obtain all of the URLs included in the request and navigate to each URL and obtain the most recent data associated with each URL. In many cases, Web pages will already have summary information presented in HTML format. In these instances, no summarization is required. The data is simply transferred back to domain 141 and stored on behalf of subscribing users. In many cases, detailed information from Web pages will be summarized before presentation to users.

It will be apparent to one with skill in the art that applications 155 and 153 may contain more or fewer modules that are illustrated in this example without departing from the spirit and scope of the present invention. For example, a module may be added to application 153 that allows a user to categorize and organize URLs such that they may be stored in specific categories within list 161 as well as on a user's Internet appliance. Furthermore, a module may be added to server application 155 that allows a user to instantly navigate to any of the URLs listed in list 161. All of the modules illustrated in both server application 155 and in client application 153 may be accessed through traditional drop-down menus as are known in the art. The inventor intends that this example illustrate just one possible

configuration of client application 153 and server application 155. As previously described, application 153 may be a standalone application provided within an Internet browser, or it may be integrated with a standard book-marking utility located within an Internet browser. There are many possibilities.

Fig. 9 is a flow diagram illustrating user and server side steps for practicing active book-marking and WEB-summarization of book-marked URLs. At step 175, a user logs into a portal server analogous to portal server 145 of Fig. 7. At step 177, a user browses the Internet through the portal server of step 175. During normal browsing described in step 177, a user activates active-bookmark software in step 179 each time he or she desires to add a URL to a list of stored URLs. This function may be generally described by a user invoking module 167 from within application 153 of Fig. 8 at the time a Web page is displayed in the associated browser window.

At step 181, ABS automatically sends the associated URL to list 161 within server application 155 described in Fig. 8. At step 183 the URL is added to list 161 according to enterprise rules. In an integrated embodiment, the same URL may also be included in a user's standard bookmarks held on his or her own Internet appliance. Step 181 may optionally include a sub-routine for allowing a user to categorize the sent URL such that it is added to list 161 of Fig. 8 according to specific criteria. For example, if the URL is associated with a sports page, a user may elect to insert it under a headline of sports present in list 161. In one embodiment of the present invention, a parsing function may be utilized to automatically insert a sent URL under an appropriate heading present or created in list 161 at the time of receipt of the URL.

At step 185, a navigation command is updated to include a new URL. In one embodiment, URLs managed in list 161 are automatically added to the navigation command, which is executed on a periodic basis. In another embodiment, a user may select which URLs will be included in any navigation command. At step 187 the portal server of step 175 sends a navigation command to a navigation system server analogous to an NS 147 of Fig. 7. This occurs on a periodic basis with the frequency of occurrence to be determined by a user. At step 189, NS 147 of Fig. 7 navigates to each included URL for the purpose of obtaining and returning Web summaries. Web summaries are held for users an association with the URLs connected to them.

At step 191, a user may order summary information. Step 191 occurs at the discretion of a user. Web summaries may be ordered through simple activation of a module such as module 173 of Fig. 8. At step 193, ordered summaries are presented to a requesting user. Summaries may be presented in the form of HTML on a Web page created for a user. Such a Web page may contain listed URLs and summary information inserted beneath each associated URL. Inter-activity may also be present such that a user may click on a summary heading presented in the Web page described above to automatically navigate to the URL and view detailed information summarized by the heading.

It will be apparent to one with skill in the art that the steps illustrated herein may be added to or subtracted from without departing from the spirit and scope of the present invention. For example, a subroutine may be inserted between steps 179 and 181 wherein a user may direct how-to organize the URL sent in step 181. A routine may be inserted between step 185 and step 187 wherein a pop-up window or the like may appear on a user's display asking the user to confirm the URLs included in the navigation

5

10

25

The present invention as taught herein and above should be afforded the broadest of scope. The spirit and scope of the present invention is limited only by the claims that follow.

What is claimed is:

1. A software application for network-based management and data summarization of user-selected URLs comprising:
- 5 a client-side utility for capturing a URL displayed in a browser window during Internet navigation;
- a server-side utility for receiving URLs captured by the client-side utility; and
- 10 a navigation and data-gathering utility for navigating to and gathering data from Web pages associated with the captured URLs;
- characterized in that a user operating the client-side utility captures a URL during Web browsing wherein the URL is sent to the server-side utility at which time it may be utilized by the navigation and data gathering utility
- 15 for proxy navigation to and data gathering from a WEB page associated with the URL.
2. The software application of claim 1, wherein the network is the Internet network.
- 20 3. The software application of claim 2, wherein the client-side utility is a network-capable utility separate from a standard book-marking utility.
4. The software application of claim 3, wherein the client-side utility is
- 25 integrated with a standard book-marking utility.
5. The software application of claim 2, wherein the client-side utility is a plug-In adapted to a Web browser.

5

10

(b) sending the captured URL information over a network connection to a Web-based server;

15

(e) upon approval of the request, navigating to the Web page or pages associated with the URL data for the purpose of obtaining information from the Web page and returning the information in summary form to a user.


20

9. The method of claim 7 wherein in step (b), the Web-based server is a proxy server.

25

10. The method of claim 7 wherein a step is added between steps (d) and (e) enabling a user to edit a navigation request.

A network-based URL management and data gathering system is provided. The system utilizes a client-side utility for capturing URLs during normal Web browsing, and a server-side utility for organizing and managing the captured URLs on the network. The server-side utility periodically sends a request to a proxy browsing and data gathering utility for navigating to and retrieving data from Web pages associated with the captured URLs. Data retrieved from the Web pages is returned in summary form for presentation to subscribing users. In preferred embodiments, the system is practiced on the Internet network between users operating an Internet-capable appliance having an Internet connection, and an Internet portal service.






Fig. 5




Fig. 7




Fig. 8




Fig. 9

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

ATTORNEY DOCKET NO. P3921

As a below named inventor, I hereby declare that: My residence, post office address and citizenship are as stated below next to my name. I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: Network-Based Bookmark Management and WEB-Summary System the specification of which (check one) ☒ is attached hereto,

- ☐ was filed on, _____
☐ Application Serial No. _____
☐ and was amended on _____
 (If applicable)

I hereby state that I have reviewed and understood the contents of the above-identified specification, including the claims, as amended by any amendment referred to above. I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, § 1.56(a). In the case that the present application is a continuation-in-part application, I further acknowledge the duty to disclose material information as defined in 37 CFR § 1.56(a) which became available between the filing date of the prior application and the filing date of the present application. I hereby claim foreign priority benefits under Title 35, United States Code § 119 of any foreign applications for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)

(Number)	(Country)	(Day/Month/Year Filed)
(Number)	(Country)	(Day/Month/Year Filed)

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, § 1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application.

(Application Serial No.): 09/323,598 (Filing Date): 06/01/99 (Status): pending
 (Application Serial No.): 09/208,740 (Filing Date): 12/08/98 (Status): pending
 (Application Serial No.): 09/530,348 (Filing Date): 04/14/2000 (Status): pending
 (Application Serial No.): _____ (Filing Date): _____ (Status): _____
 (Application Serial No.): _____ (Filing Date): _____ (Status): _____

POWER OF ATTORNEY. As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (List name and registration number)

Name: Donald R. Boys

Reg. No. 35,074

SEND CORRESPONDENCE TO:
 Donald R. Boys
 P.O. Box 187
 Arroyo, CA 95004

DIRECT TELEPHONE CALLS TO:
 Donald R. Boys (831) 726-1457

00575491-051800

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of sole or first inventor, if any: Jonathan Wu

1st inventor's signature: Jonathan Wu

Dated: 5/17/2000

Residence: 167 Town Square Drive, Mountain View, CA 94043 Citizenship: US

Post Office Address: Same

Full name of 2nd joint inventor: Sreeranga P. Rajan

2nd inventor's signature: S. P. Rajan

Dated: 5/17/2000

Residence: 3475 Granada Avenue #320, Santa Clara, CA 95051 Citizenship: US

Post Office Address: Same

Full name of 3rd joint inventor, if any: _____

3rd inventor's signature: _____

Dated: _____

Residence: _____ Citizenship: _____

Post Office Address: _____

Full name of 4th joint inventor, if any: _____

4th inventor's signature: _____

Dated: _____

Residence: _____ Citizenship: _____

Post Office Address: _____

Full name of 5th joint inventor, if any: _____

5th inventor's signature: _____

Dated: _____

Residence: _____ Citizenship: _____

Post Office Address: _____

Full name of 6th joint inventor, if any: _____

6th inventor's signature: _____

Dated: _____

Residence: _____ Citizenship: _____

Post Office Address: _____

Full name of 7th joint inventor, if any: _____

7th inventor's signature: _____

Dated: _____

Residence: _____ Citizenship: _____

Post Office Address: _____

Full name of 8th joint inventor, if any: _____

8th inventor's signature: _____

Dated: _____

Residence: _____ Citizenship: _____

Post Office Address: _____

00575401-051800